



BIG-IP[®] Secure Access Manager Client Compatibility Matrix

For Version: 8.0



Product Version

This document applies to product version 8.0 of the BIG-IP Secure Access Manager.

Publication Date

This document was published on April 4, 2008.

Legal Notices

Copyright © 2008, F5 Networks, Inc., Seattle, Washington. All rights reserved.

Trademarks

F5, F5 Networks, the F5 logo, BIG-IP, 3-DNS, Acopia, Acopia Networks, Application Accelerator, Ask F5, Application Security Manager, ASM, ARX, Data Guard, Enterprise Manager, EM, FirePass, FreedomFabric, Global Traffic Manager, GTM, iControl, Intelligent Browser Referencing, Internet Control Architecture, IP Application Switch, iRules, Link Controller, LC, Local Traffic Manager, LTM, Message Security Module, MSM, NetCelera, OneConnect, Packet Velocity, SSL Accelerator, SYN Check, Traffic Management Operating System, TMOS, TrafficShield, Transparent Data Reduction, uRoam, , WANJet, WebAccelerator, and ZoneRunner, are trademarks or service marks of F5 Networks, Inc., in the U.S. and other countries, and may not be used without F5's express written consent.



Testing Model

F5 Networks® tests the functionality of BIG-IP® Secure Access Manager on the most-used platforms, and ensures compatibility with the most-used operating systems (OS) and browsers.

OS / Browser Compatibility Matrix

The following operating systems (OS) and browsers are supported by F5 Networks to provide access to the functionality in BIG-IP Secure Access Manager 8.0, which includes client graphical user interface and administrative graphical user interface.

Microsoft® Windows OS

In addition to the client and administrative graphical user interface, the standalone VPN client is supported for all Microsoft Windows versions listed below.

Operating System	IE 7.0	IE 6.0	Firefox® 2.0
Windows® 2000 Pro w/SP4	n/a	+	+
Windows® XP SP2 Professional and Home Edition	+	+	+
Windows® XP SP2 64-bit (32-bit compatibility mode)	+	+	+
Windows Vista™ (Home, Business, Ultimate and Enterprise edition)	+	n/a	+
Windows Vista™ SP1 (Home, Business, Ultimate and Enterprise edition)	+	n/a	+
Windows Vista™ 64-bit Vista™ (Home, Business, Ultimate and Enterprise edition) (32-bit compatibility mode)	+	n/a	+
Windows Vista™ 64-bit Vista™ SP1 (Home, Business, Ultimate and Enterprise edition) (32-bit compatibility mode)	+	n/a	+

Microsoft® Internet Explorer is abbreviated in the tables as IE.

Linux OS

Operating System	Firefox® 2.0
Debian® 4.0r1	+
Fedora™ Core 7, 8	+
TurboLinux® 11	+
SUSE® 10.2	+
Ubuntu® 7.10	+

The following supported Linux platforms require workstations with **libc** version 2 and later, Kernel support for PPP interfaces (loadable module or static) and the **pppd** program in the correct directory (typically **/usr/sbin** or **/usr/bin**). All Linux distributions are qualified by F5 Networks, and are supported if they fit the minimum requirements. Please note that 64-bit Linux clients are not supported.



Mac OS

Operating System	Firefox® 2.0	Safari 3.0, 3.1	Safari 2.0	Safari 1.3
Apple® Mac OS® X 10.3.x	+	n/a	n/a	+
Apple® Mac OS® X 10.4.x (PowerPC and Intel platforms)	+	+	+	n/a
Apple® Mac OS® X 10.5.x (PowerPC and Intel platforms)	+	+	n/a	n/a

When using Mac OS X, FireFox is the only browser supported through the administrator graphical user interface.

Mobile Device Support:

The following is a list of tested devices; however, F5 Networks generally supports most out-of-the-box Windows Mobile 5/6 and Pocket PC 2003 devices.

- Windows Mobile 2003, using PocketIE 4.01; supported devices:
 - Toshiba E800; Dell Axim
- Windows Mobile 5, using PocketIE 4.01; supported devices:
 - Cingular 8525 (HTC Hermes);
 - Cingular 3125;
 - Palm Treo 700W;
 - Asus P525;
 - Fujitsu-Siemens LOOX C550
- Windows Mobile 6, using PocketIE 6.0; supported devices:
 - HTC s710 Vox